



Minnesota Multiphasic
Personality Inventory-Adolescent
Restructured Form™

SAMPLE REPORT

Case Description: Julie—School Setting Score Report


Julie, 16 years old, was transferred to a closed residential treatment facility from an inpatient psychiatric hospital. Julie’s recent psychiatric hospitalization, with precipitating symptoms of depression, weight loss, variations in eating, decreased sleep, and psychomotor slowing, began upon referral from her outpatient therapist. She reportedly confided to a school counselor that she was suicidal. She was hospitalized briefly, released, and, upon return home, cut her arm quite deeply with a razor blade. She was returned to the hospital and was referred to a closed residential treatment facility for further evaluation and treatment.

Case descriptions do not accompany MMPI-A-RF™ reports, but are provided here as background information. The following report was generated from Q-global®, Pearson’s web-based scoring and reporting application, using Julie’s responses to the MMPI-C/THC f f k k p c n O O R K C / T H u c o r n g t g r q t u . r t q f w e v q h g t k p i u . t c k p k p i " q r r q t w p k k g u . " c p f " t g u q w t e g u e c p " d g h q w p f " c v R g e t u q p E r k p l e c r f e c 0

8**!' ')!, (% | PsychCorp | PearsonClinical.cu

Copyright © 2016 Pearson Education, Inc. or its affiliate(s). All rights reserved. Q-global, Always Learning, Pearson, design for Psi, and PsychCorp are trademarks, in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s). The following are registered trademarks of the Regents of the University of Minnesota: MMPI, MMPI-2-RF, Minnesota Multiphasic Personality Inventory, and Minnesota Multiphasic Personality Inventory-2-Restructured Form. The following are unregistered, common law trademarks of the University of Minnesota: MMPI-A, Minnesota Multiphasic Personality Inventory-Adolescent, MMPI-A-RF, Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form, MMPI-2, Minnesota Multiphasic Personality Inventory-2, and The Minnesota Report. CLINA11348 03/16

MMPI-A-RF Validity Scales



| | | | | | | |
|-------------------|-----|------|-----|-----|-----------------------------------|-----|
| Raw Score: | 1 | 4 | 2 | 5 | 6 | 3 |
| T Score: | 42 | 59 F | 43 | 59 | 73 | 43 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 |
| Cannot Say (Raw): | 0 | | | | | |
| | | | | | Percent True (of items answered): | 54% |


Comparison Group Data: School Setting, National (Boys), N = 832

| | | | | | | |
|---|----|------|----|----|----|----|
| Mean T Score (◇--◇): | 47 | 51 F | 47 | 50 | 54 | 53 |
| Standard Dev (±1 SD): | 8 | 9 | 8 | 11 | 11 | 11 |
| Percent scoring at or below adolescent: | 40 | 88 | 45 | 85 | 96 | 30 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

| | | | |
|--------|---------------------------------|-----|----------------------|
| VRIN-r | Variable Response Inconsistency | F-r | Infrequent Responses |
| TRIN-r | True Response Inconsistency | L-r | Uncommon Virtues |
| CRIN | Combined Response Inconsistency | K-r | Adjustment Validity |

MMPI-A-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales



| | | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 22 | 11 | 2 | 16 | 4 | 0 | 4 | 2 | 7 | 8 | 6 | 1 |
| T Score: | 74 | 86 | 35 | 77 | 47 | 37 | 44 | 45 | 76 | 63 | 86 | 35 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: School Setting, National (Boys), N = 832

| | | | | | | | | | | | | |
|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Mean T Score(◇--◇): | 50 | 53 | 53 | 51 | 49 | 51 | 51 | 55 | 54 | 46 | 49 | 47 |
| Standard Dev (±1 SD): | 12 | 13 | 13 | 13 | 11 | 12 | 11 | 13 | 14 | 11 | 11 | 10 |
| Percent scoring at or below adolescent: | 96 | 98 | 6 | 97 | 53 | 16 | 36 | 24 | 95 | 94 | 99 | 9 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

| | | | | | |
|-----|--------------------------------------|-----|-----------------------|-----|---------------------------------|
| EID | Emotional/Internalizing Dysfunction | RCd | Demoralization | RC6 | Ideas of Persecution |
| THD | Thought Dysfunction | RC1 | Somatic Complaints | RC7 | Dysfunctional Negative Emotions |
| BXD | Behavioral/Externalizing Dysfunction | RC2 | Low Positive Emotions | RC8 | Aberrant Experiences |
| | | RC3 | Cynicism | RC9 | Hypomanic Activation |
| | | RC4 | Antisocial Behavior | | |

MMPI-A-RF Somatic/Cognitive and Internalizing Scales



| | | | | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 4 | 0 | 2 | 0 | 3 | 7 | 3 | 3 | 3 | 4 | 3 | 4 | 1 | 2 |
| T Score: | 58 | 44 | 58 | 39 | 61 | 73 | 53 | 61 | 65 | 49 | 72 | 61 | 57 | 50 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: School Setting, National (Boys), N = 832

| | | | | | | | | | | | | | | |
|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Mean T Score (◇--◇): | 52 | 51 | 49 | 50 | 55 | 51 | 50 | 50 | 47 | 49 | 50 | 50 | 48 | 46 |
| Standard Dev (±1 SD): | 12 | 11 | 10 | 11 | 12 | 13 | 12 | 11 | 10 | 11 | 12 | 11 | 9 | 8 |
| Percent scoring at or below adolescent: | 80 | 71 | 91 | 34 | 82 | 94 | 74 | 91 | 96 | 66 | 96 | 90 | 92 | 88 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

| | | | | | |
|-----|-----------------------------|-----|---------------------------|-----|----------------------------|
| MLS | Malaise | HLP | Helplessness/Hopelessness | AXY | Anxiety |
| GIC | Gastrointestinal Complaints | SFD | Self-Doubt | ANP | Anger Proneness |
| HPC | Head Pain Complaints | NFC | Inefficacy | BRF | Behavior-Restricting Fears |
| NUC | Neurological Complaints | OCS | Obsessions/Compulsions | SPF | Specific Fears |
| COG | Cognitive Complaints | STW | Stress/Worry | | |

MMPI-A-RF Externalizing and Interpersonal Scales



| | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 4 | 1 | 0 | 0 | 2 | 1 | 0 | 1 | 1 | 4 | 2 |
| T Score: | 64 | 39 | 38 | 42 | 54 | 40 | 33 | 50 | 46 | 48 | 58 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: School Setting, National (Boys), N = 832

| | | | | | | | | | | | |
|---|----|----|----|----|----|----|----|----|----|----|----|
| Mean T Score (◊---◊): | 57 | 53 | 59 | 49 | 51 | 51 | 49 | 49 | 53 | 46 | 52 |
| Standard Dev (±1 SD): | 14 | 12 | 13 | 10 | 12 | 12 | 12 | 10 | 13 | 10 | 11 |
| Percent scoring at or below adolescent: | 76 | 16 | 12 | 64 | 75 | 25 | 8 | 77 | 45 | 71 | 85 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

| | | | |
|-----|---------------------------|-----|-------------------------|
| NSA | Negative School Attitudes | FML | Family Problems |
| ASA | Antisocial Attitudes | IPP | Interpersonal Passivity |
| CNP | Conduct Problems | SAV | Social Avoidance |
| SUB | Substance Abuse | SHY | Shyness |
| NPI | Negative Peer Influence | DSF | Disaffiliativeness |
| AGG | Aggression | | |

MMPI-A-RF Personality Psychopathology Five (PSY-5) Scales



| | | | | | |
|-------------|-----|-----|-----|-----|-----|
| Raw Score: | 5 | 12 | 0 | 9 | 5 |
| T Score: | 46 | 100 | 30 | 60 | 52 |
| Response %: | 100 | 100 | 100 | 100 | 100 |

Comparison Group Data: School Setting, National (Boys), N = 832

| | | | | | |
|---|----|-----|----|----|----|
| Mean T Score(◇--◇): | 52 | 53 | 55 | 48 | 53 |
| Standard Dev (±1 SD): | 13 | 12 | 13 | 12 | 13 |
| Percent scoring at or below adolescent: | 47 | 100 | 1 | 86 | 64 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

| | |
|--------|---|
| AGGR-r | Aggressiveness-Revised |
| PSYC-r | Psychoticism-Revised |
| DISC-r | Disconstraint-Revised |
| NEGE-r | Negative Emotionality/Neuroticism-Revised |
| INTR-r | Introversiion/Low Positive Emotionality-Revised |

MMPI-A-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

| | | | | |
|----------------------------|-----------|-----------|-------------|-----------|
| Content Non-Responsiveness | <u>0</u> | <u>42</u> | <u>59 F</u> | <u>43</u> |
| | CNS | VRIN-r | TRIN-r | CRIN |
| Over-Reporting | <u>59</u> | | | |
| | F-r | | | |
| Under-Reporting | <u>73</u> | <u>43</u> | | |
| | L-r | K-r | | |

SUBSTANTIVE SCALES

| | | | | | | | | |
|-------------------------------|-----------|------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Somatic/Cognitive Dysfunction | <u>47</u> | <u>58</u> | <u>44</u> | <u>58</u> | <u>39</u> | <u>61</u> | | |
| | RC1 | MLS | GIC | HPC | NUC | COG | | |
| Emotional Dysfunction | <u>74</u> | <u>77</u> | <u>73</u> | <u>53</u> | <u>61</u> | | | |
| | EID | RCd | HLP | SFD | NFC | | | |
| | | <u>37</u> | <u>52</u> | | | | | |
| | | RC2 | INTR-r | | | | | |
| | | <u>63</u> | <u>65</u> | <u>49</u> | <u>72</u> | <u>61</u> | <u>57</u> | <u>50</u> |
| | | RC7 | OCS | STW | AXY | ANP | BRF | SPF |
| | | | | | | | | <u>60</u> |
| | | | | | | | | NEGE-r |
| Thought Dysfunction | <u>86</u> | <u>76</u> | | | | | | |
| | THD | RC6 | | | | | | |
| | | <u>86</u> | | | | | | |
| | | RC8 | | | | | | |
| | | <u>100</u> | | | | | | |
| | | PSYC-r | | | | | | |
| Behavioral Dysfunction | <u>35</u> | <u>45</u> | <u>64</u> | <u>39</u> | <u>38</u> | <u>42</u> | <u>54</u> | |
| | BXD | RC4 | NSA | ASA | CNP | SUB | NPI | |
| | | <u>35</u> | <u>40</u> | <u>46</u> | <u>30</u> | | | |
| | | RC9 | AGG | AGGR-r | DISC-r | | | |
| Interpersonal Functioning | <u>33</u> | <u>44</u> | <u>50</u> | <u>46</u> | <u>48</u> | <u>58</u> | | |
| | | FML | RC3 | IPP | SAV | SHY | DSF | |

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-A-RF interpretation in Chapter 7 of the *MMPI-A-RF Administration, Scoring, Interpretation, and Technical Manual*, which provides details in the text and an outline in Table 7-1.

ITEM-LEVEL INFORMATION

Unscorable Responses

The adolescent produced scorable responses to all the MMPI-A-RF items.

Critical Responses

Six MMPI-A-RF scales--Helplessness/Hopelessness (HLP), Anxiety (AXY), Ideas of Persecution (RC6), Aberrant Experiences (RC8), Substance Abuse (SUB), and Aggression (AGG)--have been designated by the test authors as having critical item content that may require immediate attention and follow-up. Items answered by the adolescent in the keyed direction (True or False) on a critical scale are listed below if her T score on that scale is 60 or higher. The percentage of the MMPI-A-RF normative sample (NS) and of the School Setting, National (Boys) comparison group (CG) that answered each item in the keyed direction are provided in parentheses following the item content.

Helplessness/Hopelessness (HLP, T Score = 73)

- 60. Item Content Omitted. (True; NS 39.9%, CG 28.8%)
- 119. Item Content Omitted. (True; NS 17.0%, CG 19.6%)
- 121. Item Content Omitted. (True; NS 36.3%, CG 44.0%)
- 162. Item Content Omitted. (True; NS 22.7%, CG 25.0%)
- 194. Item Content Omitted. (True; NS 15.5%, CG 8.8%)
- 228. Item Content Omitted. (True; NS 35.6%, CG 37.4%)
- 239. Item Content Omitted. (True; NS 40.9%, CG 50.2%)



Special Note:
The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Anxiety (AXY, T Score = 72)

- 71. Item Content Omitted. (True; NS 26.6%, CG 28.8%)
- 153. Item Content Omitted. (True; NS 36.4%, CG 33.9%)
- 209. Item Content Omitted. (True; NS 16.3%, CG 20.6%)

Ideas of Persecution (RC6, T Score = 76)

- 37. Item Content Omitted. (True; NS 19.1%, CG 34.9%)
- 45. Item Content Omitted. (True; NS 28.8%, CG 36.8%)
- 76. Item Content Omitted. (False; NS 28.0%, CG 37.3%)
- 92. Item Content Omitted. (True; NS 44.1%, CG 42.3%)
- 134. Item Content Omitted. (True; NS 9.6%, CG 17.9%)
- 164. Item Content Omitted. (True; NS 10.1%, CG 24.4%)
- 199. Item Content Omitted. (True; NS 47.2%, CG 52.0%)

Aberrant Experiences (RC8, T Score = 86)

- 68. Item Content Omitted. (True; NS 10.1%, CG 4.9%)
- 108. Item Content Omitted. (True; NS 12.0%, CG 14.7%)
- 142. Item Content Omitted. (True; NS 8.9%, CG 5.0%)
- 168. Item Content Omitted. (True; NS 16.6%, CG 13.6%)
- 204. Item Content Omitted. (True; NS 13.7%, CG 15.0%)
- 222. Item Content Omitted. (True; NS 16.6%, CG 12.4%)

Critical Items (Forbey & Ben-Porath)

The MMPI-A-RF contains a number of items whose content may indicate the presence of psychological problems when endorsed in the deviant direction. These "critical items" are adopted from the ones designated by Forbey and Ben-Porath for the MMPI-A (for details, see Forbey, J.D., & Ben-Porath, Y.S. [1998] A critical item set for the MMPI-A. Minneapolis, MN: University of Minnesota Press). Responses to critical items may provide an additional source of hypotheses about the adolescent; however, they should be used with caution because single item responses are unreliable. The percentage of the MMPI-A-RF normative sample (NS) and of the School Setting, National (Boys) comparison group (CG) that answered each item in the keyed direction are provided in parentheses following the item content.

Anxiety

- 170. Item Content Omitted. (True; NS 12.4%, CG 23.9%)
- 209. Item Content Omitted. (True; NS 16.3%, CG 20.6%)

Depression/Suicidal Ideation

- 30. Item Content Omitted. (False; NS 15.7%, CG 23.6%)**
- 46. Item Content Omitted. (True; NS 30.3%, CG 19.1%)**
- 69. Item Content Omitted. (True; NS 20.1%, CG 25.2%)
- 74. Item Content Omitted. (True; NS 11.5%, CG 27.5%)
- 119. Item Content Omitted. (True; NS 17.0%, CG 19.6%)
- 155. Item Content Omitted. (True; NS 15.8%, CG 12.3%)**
- 200. Item Content Omitted. (True; NS 17.9%, CG 20.2%)

Eating Problems

- 205. Item Content Omitted. (True; NS 16.2%, CG 2.2%)

Hallucinatory Experiences

- 108. Item Content Omitted. (True; NS 12.0%, CG 14.7%)
- 168. Item Content Omitted. (True; NS 16.6%, CG 13.6%)
- 222. Item Content Omitted. (True; NS 16.6%, CG 12.4%)

Paranoid Ideation

- 37. Someone has it in for me. (True; NS 19.1%, CG 34.9%)
- 68. At one or more times in my life I felt that someone was making me do things by hypnotizing me. (True; NS 10.1%, CG 4.9%)
- 76. I have no enemies who really wish to harm me. (False; NS 28.0%, CG 37.3%)
- 134. I believe I am being plotted against. (True; NS 9.6%, CG 17.9%)
- 142. Someone has control over my mind. (True; NS 8.9%, CG 5.0%)
- 204. Someone has been trying to influence my mind. (True; NS 13.7%, CG 15.0%)

Self-Denigration

- 81. I believe my sins are unpardonable. (True; NS 10.7%, CG 18.6%)
- 143. I believe I am a condemned person. (True; NS 12.1%, CG 19.5%)

End of Report

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.
