K-CAT®

Powered by ADAPTIVE TESTING TECHNOLOGIES

K-CAT®
Score Report – Child

Name: Jane Sample	Test date: 09/17/2026
Examinee ID: 4321234	Report date: 09/23/2026
Birth date: 08/07/2012	Age at testing: 14
Gender: Female	Examiner name:
Administration language: English (US)	Timeframe: Past 2 weeks

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Warning: This report contains copyrighted material and trade secrets. The qualified licensee may excerpt portions of this output report, limited to the minimum text necessary to accurately describe their significant core conclusions, for incorporation into a written evaluation of the examinee, in accordance with their profession's citation standards, if any. No adaptations, translations, modifications, or special versions may be made of this report without prior written permission from Pearson.

Pearson and **Q-global** are trademarks, in the U.S. and/or other countries, of Pearson PLC or its affiliates. **K-CAT** is a trademark of Adaptive Testing Technologies.

[1.0 / RE1 / QG1]

Pearson

This report is intended for use by qualified professionals trained in the use of psychological tests. Results should always be interpreted with consideration of clinical judgment, additional assessment data, and the psychosocial context. The following tables present the results of each module completed by the examinee. If selected, administered items and their ratings are included within the corresponding module section of the report. Additional guidance on interpreting each K-CAT® module is available in the K-CAT® Interpretive Guide in the Q-global® Resource Library.

Interpreting the K-CAT®

Each K-CAT® module provides three key metrics:

- **Category:** A clinical classification (e.g., normal, mild, moderate, or severe) based on severity scores. These may also be labeled as low risk, medium risk, or high risk, depending on the module.
- **Severity:** A score on a 100-point scale indicating symptom severity, with higher scores reflecting greater severity.
- **Precision:** A measure of the degree of uncertainty in the severity estimate. Adaptive testing allows the precision to be fixed at 5 points on a 100-point scale, where 0 would represent absolute certainty and 100 would represent absolute uncertainty.

The severity score and category indicate where the score falls in relation to the general population on which the module has been tested. The precision indicates how much certainty there is in the severity score. For example, a severity score of 75 with a precision of 5.0 indicates that the true score falls between 70 and 80. Repeated assessments would place the true score within 65 to 85, 95% of the time, forming a 95% confidence interval (i.e., 95% confidence interval = severity score plus/minus 1.965 × precision).

IMPORTANT: If the Suicide module was administered, carefully review the risk category and individual responses, as they provide critical information related to suicide risk that may require immediate attention or further evaluation.

Note. Duration is expressed in seconds in each table where it appears. If a duration is not shown for an item (-), the item was administered as part of another module and the response was used for the module in question without re-administration.

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Test Results

Results Summary

Module	Category	Severity	Precision
Suicide	**Severe**	**91.3**	**4.7**
Anxiety	Moderate	59.2	5.9
Depression	Severe	89.3	5.8

Diagnostic Probabilities

Module	Probability Measure	Value
Suicide	**Probability of Suicide Attempt (next 3 months)**	**0.306**

Note. If the Probability of Suicide Attempt (next 3 months) is .10 or greater, the Suicide row will be displayed in red ink.

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Suicide

Timeframe: Past 2 weeks

Category: **Severe**

Severity: 91.3

Precision: 4.7

Probability of Suicide Attempt (next 3 months): 0.306

Item Details

Item text	Response	Duration	Severity	Category	Precision
I moved or spoke so slowly that other people said something.	Quite a bit	-	59.8	Moderate	12.5
I did not seem to have a good time.	Very much	-	78.3	Severe	9.2
I hated myself.	Very much	-	83.9	Severe	8.5
Even good things didn't make me happy.	Very much	-	88.7	Severe	7.7
I didn't enjoy anything at all.	Very much	-	94.5	Severe	7.2
I felt alone.	Very much	-	95.5	Severe	7.0
I felt worthless (like I don't have value).	Quite a bit	-	88.7	Severe	5.5
I felt like I was losing it.	Very much	-	90.2	Severe	5.3
I stopped enjoying anything.	Very much	-	90.9	Severe	5.1
I thought about death or about being dead myself.	Very much	-	92.6	Severe	5.1
I felt everyone would be better off without me.	Very much	-	92.9	Severe	5.1
My life wasn't worth living.	Very much	-	93.1	Severe	5.1
I thought about killing myself.	Very much	2.2	93.6	Severe	5.0
I had a plan for how I would kill myself.	Very much	2.6	94.3	Severe	5.0
I made a suicide attempt (I tried to kill myself).	No	3.6	91.3	Severe	4.7

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Anxiety

Timeframe: Past 2 weeks

Category: Moderate

Severity: 59.2

Precision: 5.9

Item Details

Item text	Response	Duration	Severity	Category	Precision
I worried a lot.	Very much	1.8	61.7	Severe	12.0
I felt uneasy much of the time.	Quite a bit	2.0	61.5	Severe	8.0
I worried more than I needed to.	Quite a bit	2.0	59.3	Moderate	7.3
I was a worry wart (always worried, nervous).	Quite a bit	5.4	59.6	Moderate	7.2
I worried too much.	Very much	1.5	60.5	Severe	7.1
Once I started worrying, I couldn't stop.	Quite a bit	2.7	60.2	Severe	7.0
I felt like my skin was tingling or crawling when I was tense or worried.	Somewhat	2.3	59.2	Moderate	5.9

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Depression

Timeframe: Past 2 weeks

Category: Severe

Severity: 89.3

Precision: 5.8

Item Details

Item text	Response	Duration	Severity	Category	Precision
I felt everyone would be better off without me.	Very much	4.0	72.1	Severe	10.9
My life wasn't worth living.	Very much	3.1	75.7	Severe	10.3
I stopped enjoying anything.	Very much	2.0	81.7	Severe	8.5
I felt worthless (like I don't have value).	Quite a bit	5.0	77.8	Severe	6.8
I hated myself.	Very much	2.3	78.2	Severe	6.9
Even good things didn't make me happy.	Very much	4.1	81.3	Severe	6.5
I felt alone.	Very much	2.6	82.0	Severe	6.5
I did not seem to have a good time.	Very much	5.1	83.7	Severe	6.3
I felt like I was losing it.	Very much	2.9	85.2	Severe	6.2
I didn't enjoy anything at all.	Very much	3.4	88.0	Severe	6.0
I thought about death or about being dead myself.	Very much	8.4	89.1	Severe	6.1
I moved or spoke so slowly that other people said something.	Quite a bit	4.9	89.3	Severe	5.8

End of Report

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.