

K-CAT[®]

Powered by **ADAPTIVE TESTING**
TECHNOLOGIES

K-CAT[®]

Multirater Report (Parent & Child)

Name: Susie Sample

Birth date: 06/11/2010

Gender: Female

Administration language: English (US)

Test date: 09/17/2026

Report date: 09/23/2026

Age at testing: 16

Examiner name:

Timeframe: Past 2 weeks

Copyright © 2026 NCS Pearson, Inc. and Adaptive Testing Technologies. All rights reserved.

Warning: This report contains copyrighted material and trade secrets. The qualified licensee may excerpt portions of this output report, limited to the minimum text necessary to accurately describe their significant core conclusions, for incorporation into a written evaluation of the examinee, in accordance with their profession's citation standards, if any. No adaptations, translations, modifications, or special versions may be made of this report without prior written permission from Pearson.

Pearson and **Q-global** are trademarks, in the U.S. and/or other countries, of Pearson PLC or its affiliates. **K-CAT** is a trademark of Adaptive Testing Technologies.

[1.0 / RE1 / QG1]

This report is intended for use by qualified professionals trained in the use of psychological tests. Results should always be interpreted with consideration of clinical judgment, additional assessment data, and the psychosocial context. The following tables present the results of each module completed by the examinee. If selected, administered items and their ratings are included within the corresponding module section of the report. Additional guidance on interpreting each K-CAT® module is available in the K-CAT® Interpretive Guide in the Q-global® Resource Library.

Interpreting the K-CAT®

Each K-CAT® module provides four key metrics:

- **Category:** A clinical classification (e.g., normal, mild, moderate, or severe) based on severity scores. These may also be labeled as low risk, intermediate risk, or high risk, depending on the module.
- **Severity:** A score on a 100-point scale indicating symptom severity, with higher scores reflecting greater severity.
- **Precision:** A measure of the degree of uncertainty in the severity estimate. Adaptive testing allows the precision to be fixed at 5 points on a 100-point scale, where 0 would represent absolute certainty and 100 would represent absolute uncertainty.
- **Diagnostic Probability:** The probability that a child would receive a given diagnosis if they were evaluated using a full diagnostic interview.

The severity score and category indicate where the score falls in relation to the general population on which the module has been tested. The precision indicates how much certainty there is in the severity score. For example, a severity score of 75 with a precision of 5.0 indicates that the true score falls between 70 and 80. Repeated assessments would place the true score within 65 to 85, 95% of the time, forming a 95% confidence interval (i.e., 95% confidence interval = severity score plus/minus $1.965 \times \text{precision}$).

IMPORTANT: If the Suicide module was administered, carefully review the risk category and individual responses, as they provide critical information related to suicide risk that may require immediate attention or further evaluation.

Note. Duration is expressed in seconds in each table where it appears. If a duration is not shown for an item (-), the item was administered as part of another module and the response was used for the module in question without re-administration.

Test Results

Timeframe: Past 2 weeks

Results Summary

Module	Category		Severity		Precision	
	Child	Parent	Child	Parent	Child	Parent
Suicide	Moderate		50.0		3.6	
Anxiety	Severe	Moderate	61.6	60.5	6.0	4.9
Mania	Normal	Mild	29.6	53.9	5.7	4.0
Oppositional defiant disorder (ODD)	Normal	Normal	26.8	32.7	6.0	4.4
Attention deficit/hyperactivity disorder (ADHD)	Moderate	Moderate	60.9	58.0	6.2	5.4
Depression	Moderate	Moderate	53.0	50.7	5.0	4.8
Conduct disorder (CD)	Mild	Normal	37.3	9.6	6.4	6.8

Interpretation guidance: the higher of the two severity and category scores (bolded above) should generally be used.

Diagnostic Probabilities

Module	Probability Measure	Value
Suicide	Probability of Suicide Attempt (next 3 months)	0.016
Anxiety	Probability of Generalized Anxiety Disorder (GAD)	0.529
Mania	Probability of Bipolar Disorder (BP)	0.001
ODD	Probability of Oppositional Defiant Disorder (ODD)	0.030
ADHD	Probability of Attention Deficit Hyperactivity Disorder (ADHD)	0.485
Depression	Probability of Major Depressive Disorder (MDD)	0.441
CD	Probability of Conduct Disorder (CD)	0.005

Note. If the Probability of Suicide Attempt (next 3 months) is .10 or greater, the Suicide row will be displayed in red ink.

Suicide

Timeframe: Past 2 weeks

Category: Moderate

Severity: 50.0

Precision: 3.6

Probability of Suicide Attempt (next 3 months): 0.016

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I felt like I was letting people down.	Quite a bit	-	50.6	Moderate	9.8
Lately, I just don't feel like doing anything.	Somewhat	-	54.6	Moderate	7.0
I felt alone.	Quite a bit	-	57.5	Moderate	6.4
I felt I was no good anymore.	Just a little	-	55.1	Moderate	6.1
I stopped enjoying anything.	Just a little	-	53.3	Moderate	4.6
My life wasn't worth living.	Not at all	-	51.1	Moderate	4.0
I had a plan for how I would kill myself.	Not at all	2.7	50.9	Moderate	3.9
I thought about killing myself.	Not at all	3.6	50.4	Moderate	3.8
I made a suicide attempt (I tried to kill myself).	No	2.1	50.0	Moderate	3.6

Anxiety

Timeframe: Past 2 weeks

Child	Parent
Category: Severe Severity: 61.6 Precision: 6.0	Category: Moderate Severity: 60.5 Precision: 4.9
Probability of GAD: 0.529	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I worried a lot.	Quite a bit	4.8	49.6	Mild	10.4
I worried more than I needed to.	Somewhat	7.1	48.3	Mild	9.6
Once I started worrying, I couldn't stop.	Quite a bit	2.6	51.8	Moderate	9.2
I was a worry wart (always worried, nervous).	Quite a bit	3.7	53.0	Moderate	9.1
It was hard for me to relax.	Very much	3.2	61.5	Severe	7.9
My worries overwhelmed me.	Very much	3.0	64.2	Severe	7.8
I had many worries.	Quite a bit	2.7	64.2	Severe	7.8
I could not keep myself from worrying about things.	Very much	3.4	64.7	Severe	7.8
When I got frightened, I felt like I was going crazy.	Somewhat	4.6	63.4	Severe	6.8
I felt worried.	Very much	2.3	62.6	Severe	6.7
I was easily scared.	Somewhat	4.2	61.6	Severe	6.0

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child worried a lot.	Quite a bit	5.5	53.0	Moderate	11.2
My child had many worries.	Very much	4.3	56.8	Moderate	10.9
My child felt worried.	Very much	1.8	61.0	Moderate	10.5
My child worried too much.	Very much	3.5	62.5	Moderate	10.5
My child felt nervous with people they didn't know well.	Somewhat	4.0	58.4	Moderate	5.9
My child worried more than they needed to.	Quite a bit	2.5	57.6	Moderate	5.8
My child has felt anxious, worried, or nervous about social situations.	Quite a bit	3.7	56.8	Moderate	5.4
My child felt uneasy much of the time.	Quite a bit	2.5	60.4	Moderate	5.2
My child left places early to go home when separated from their family.	Just a little	36.4	60.5	Moderate	4.9

Mania

Timeframe: Past 2 weeks

Child	Parent
Category: Normal Severity: 29.6 Precision: 5.7	Category: Mild Severity: 53.9 Precision: 4.0
Probability of BP: 0.001	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I was much more interested in sex than usual.	Not at all	5.3	29.6	Normal	15.6
I had an increased interest in sex.	Not at all	2.3	29.2	Normal	15.6
I had times of extreme happiness and energy when some of the things I saw, heard, smelled, tasted, or touched seemed especially vivid (clear, real) or intense.	Not at all	6.0	19.1	Normal	12.5
I had sudden changes in mood or feelings.	Somewhat	2.6	30.4	Mild	8.8
I felt excited and happy for no clear reason.	Just a little	3.2	33.6	Mild	6.9
I was more focused on sex than usual (e.g., talking dirty, exposing myself, playing with my private parts, masturbating, making sex phone calls, playing sex games, or touching others sexually).	Not at all	3.2	33.5	Mild	6.9
At times I was much more talkative than usual.	Not at all	4.8	28.5	Normal	6.3
I went back and forth between feeling overconfident and feeling unsure of myself.	Just a little	4.5	29.6	Normal	5.7

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child was physically restless, unable to sit still, and had to keep moving from one activity to another.	Somewhat	6.1	51.1	Mild	8.4
My child frequently felt speeded-up.	Somewhat	3.5	58.2	Moderate	6.6
Compared to my child's usual self, they were restless or overly active and could not sit still.	Quite a bit	4.3	61.6	Moderate	5.6
My child had an overjoyed mood or inappropriately high mood.	Not at all	8.0	56.6	Moderate	5.1
Unlike normal, my child's thoughts jumped from topic to topic.	Somewhat	3.6	57.0	Moderate	4.6
My child had times when they were both extremely happy and energetic while also feeling more anxious or tense (jittery, nervous, uptight) than usual.	Not at all	5.6	53.9	Mild	4.0

Oppositional defiant disorder (ODD)

Timeframe: Past 2 weeks

Child	Parent
Category: Normal Severity: 26.8 Precision: 6.0	Category: Normal Severity: 32.7 Precision: 4.4
Probability of ODD: 0.030	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I was rude to adults.	Not at all	3.6	23.4	Normal	11.9
I got angry frequently.	Just a little	3.2	30.9	Mild	8.2
I was argumentative (often argued with others).	Just a little	3.3	32.9	Mild	6.7
I was a hothead.	Not at all	2.3	30.3	Mild	6.3
I felt like a bomb that was ready to explode.	Not at all	3.0	28.6	Normal	6.3
I was mean and spiteful (hurtful).	Not at all	3.3	26.8	Normal	6.0

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child argued with a parent, teacher, or boss.	Not at all	4.6	31.0	Normal	9.8
My child was argumentative.	Not at all	3.3	24.2	Normal	8.8
My child got angry at things or at people.	Not at all	7.1	19.9	Normal	8.7
My child was uncooperative.	Just a little	3.0	28.1	Normal	5.8
My child didn't do what they were asked.	Just a little	3.1	30.4	Normal	5.1
When my child was angry, they said mean things.	Not at all	2.6	29.2	Normal	5.0
My child and I argued a lot about rules.	Just a little	5.0	30.1	Normal	4.6
My child was irritable.	Somewhat	2.3	32.7	Normal	4.4

Attention deficit/hyperactivity disorder (ADHD)

Timeframe: Past 2 weeks

Child	Parent
Category: Moderate Severity: 60.9 Precision: 6.2	Category: Moderate Severity: 58.0 Precision: 5.4
Probability of ADHD: 0.485	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I had trouble sitting still when I was supposed to (for example, at movies, church, etc.).	Quite a bit	6.8	57.2	Moderate	10.2
I was easily distracted by unimportant things when I was trying to do my schoolwork or other work.	Very much	3.6	64.0	Moderate	9.2
My mind wandered when solving thought problems.	Quite a bit	3.6	62.6	Moderate	8.5
I had trouble listening to others, even when they were speaking directly to me.	Quite a bit	3.3	66.7	Severe	7.6
I had trouble paying attention to important things for more than a short time.	Quite a bit	4.2	65.8	Severe	7.3
My attention wandered from one thing to another.	Very much	3.6	66.2	Severe	7.3
I was restless (could not sit still) and overactive.	Quite a bit	2.8	65.7	Severe	6.6
I had trouble finishing things that I was supposed to do.	Quite a bit	3.0	65.6	Severe	6.6
I climbed on things or ran around when I wasn't supposed to.	Not at all	6.3	60.9	Moderate	6.2

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child had trouble sitting still when they were supposed to (at movies, church, etc.).	Quite a bit	3.7	66.2	Moderate	8.2
My child had trouble focusing on important things for more than a short time.	Very much	3.0	72.9	Moderate	7.2
My child was easily distracted and their concentration wandered.	Quite a bit	2.9	69.3	Moderate	6.7
My child interrupted other people when they were speaking.	Somewhat	4.0	68.1	Moderate	6.5
My child climbed on things or ran around when they weren't supposed to.	Not at all	8.0	62.3	Moderate	6.1
My child was restless and overactive.	Just a little	4.2	59.7	Moderate	5.7
My child had trouble listening to adults, even when they were speaking to them directly.	Somewhat	4.6	58.0	Moderate	5.4

Depression

Timeframe: Past 2 weeks

Child	Parent
Category: Moderate Severity: 53.0 Precision: 5.0	Category: Moderate Severity: 50.7 Precision: 4.8
Probability of MDD: 0.441	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I stopped enjoying anything.	Just a little	3.1	51.3	Moderate	7.3
My life wasn't worth living.	Not at all	3.1	47.9	Mild	6.6
I felt I was no good anymore.	Just a little	10.0	48.0	Mild	6.2
Lately, I just don't feel like doing anything.	Somewhat	4.1	51.2	Moderate	5.1
I felt alone.	Quite a bit	3.2	52.7	Moderate	5.0
I felt like I was letting people down.	Quite a bit	4.1	53.0	Moderate	5.0

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child seemed sluggish and tired.	Somewhat	4.7	46.7	Mild	11.2
Even little things seemed to make my child more tired than usual.	Quite a bit	4.6	57.9	Moderate	7.2
My child said their life wasn't worth living.	Not at all	3.7	54.5	Moderate	6.8
My child didn't have fun doing anything.	Not at all	4.2	46.7	Mild	5.4
My child felt down in the dumps.	Somewhat	2.3	48.5	Mild	5.0
My child was more negative about the future than they used to be.	Somewhat	3.9	50.7	Moderate	4.8

Conduct disorder (CD)

Timeframe: Past 2 weeks

Child	Parent
Category: Mild Severity: 37.3 Precision: 6.4	Category: Normal Severity: 9.6 Precision: 6.8
Probability of CD: 0.005	

Item Details – Child

Item text	Response	Duration	Severity	Category	Precision
I fought a lot with others my own age.	Just a little	4.0	33.0	Mild	12.1
I stayed out at night without permission.	Not at all	3.0	28.5	Normal	11.3
I hit another person when I was provoked.	Not at all	3.6	23.7	Normal	10.8
I took things that did not belong to me.	Not at all	2.7	19.4	Normal	10.1
I lied to get out of doing something important that I was supposed to do.	Not at all	2.9	16.6	Normal	9.9
I picked on other kids.	Not at all	2.9	14.4	Normal	9.8
I stole from home, school, or elsewhere.	Not at all	2.8	14.2	Normal	9.8
I did not threaten people.	No	3.0	19.9	Normal	9.2
I didn't start a physical fight with anyone.	No	3.2	26.6	Normal	8.6
I "conned" (tricked or took advantage of) other people.	Not at all	3.0	25.8	Normal	8.4
I hurt someone on purpose in a cruel way.	Not at all	2.5	24.1	Normal	8.2

Item text	Response	Duration	Severity	Category	Precision
I did not break things or mess up things on purpose, like slashing people's tires.	No	3.2	31.9	Mild	7.3
I hurt someone physically in a cruel way when I was not in a fight.	Not at all	3.5	31.0	Mild	7.1
I had to resort to violence to protect my rights.	Not at all	3.4	31.0	Mild	7.1
I didn't use force to make people do what I wanted.	No	2.9	37.3	Mild	6.4

Item Details – Parent

Item text	Response	Duration	Severity	Category	Precision
My child stole from home, school, or elsewhere.	Not at all	2.6	26.3	Normal	13.8
My child got so mad that they broke things.	Not at all	3.1	19.1	Normal	12.4
My child cheated or told lies.	Not at all	2.5	11.5	Normal	11.1
My child fought with other children.	Not at all	2.3	6.6	Normal	10.4
My child lied to get out of doing something important that they were supposed to do.	Not at all	2.3	3.7	Normal	10.2
My child blamed others if they failed at something.	Just a little	3.7	13.4	Normal	7.5
My child hit another person when provoked.	Not at all	2.2	12.2	Normal	7.3
My child teased others.	Not at all	2.8	11.2	Normal	7.1
When my child really got mad, they hit someone.	Not at all	3.3	11.0	Normal	7.1
My child did not care if they said something that hurt me.	No	8.3	10.3	Normal	6.9
My child couldn't control the urge to strike another person.	Not at all	4.7	10.2	Normal	6.9
My child got even with people they were upset with by hurting them or messing up their things.	Not at all	6.2	9.9	Normal	6.9
My child fought a lot with others their own age.	Not at all	2.7	9.6	Normal	6.8
My child stole things when they thought no one was watching.	Not at all	2.6	9.6	Normal	6.8

End of Report